

Bell


Robust expression
in a simple form



normann
C O P E N H A G E N

Popular pendant lamps with a monochrome twist

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial yet friendly look, Bell is ideal for both home decors and professional environments.



Bell lamp
medium white

normann

C O P E N H A G E N

Collection Overview



Bell lamp x-small
H: 23 x Ø: 22 cm
Shown in black



Bell lamp small
H: 37 x Ø: 35 cm
Shown in black



Bell lamp medium
H: 44 x Ø: 42 cm
Shown in black



Bell lamp large
H: 57 x Ø: 55 cm
Shown in black



Product Facts EU

Description

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial yet friendly look, Bell is ideal for both home decors and professional environments.

Designer / Year Of Design

Andreas Lund & Jacob Rudbeck, 2012

Material

Powder coated aluminum

Construction

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

Cord

4 m textile cord (white shade - white cord / grey shade - black cord / black shade - black cord / sand shade - brown cord).

Canopy

Included, black or white color, H: 7,7 x Ø: 9 cm, 0,04 kg

Maintenance

Clean with damp cloth.

Dimmable function

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

normann

C O P E N H A G E N

Bell lamp

Voltage

220-240 V

Frequency

50/60 Hz

Ip rating

IP20

Classification

Class II

Socket

Bell lamp x-small: G9

Bell lamp small, Bell lamp medium, Bell lamp large:
E27

Max load

60 W

Light source - recommended

Bell lamp x-small:

Power: 8 W

CCT: 2700 K

Output: 800 lm

Life Span: 15 000 h

CRI: ~ 80

Bell lamp small, Bell lamp medium, Bell lamp large:

G9 EU

Art. No.: 504052, LED E27 EU, not dimmable

Power: 8 W

CCT: 2700 K

Output: 800 lm

Life Span: 15 000 h

CRI: ~ 80

General standards & certificates

EN 60598-2-1:1997

IEC 60598-1: 2008



normann

C O P E N H A G E N



Product Facts US

Description

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been paid to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial yet friendly look, Bell is ideal for both home decors and professional environments.

Designer / Year Of Design

Andreas Lund & Jacob Rudbeck, 2012

Material

Powder coated aluminum

Construction

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

Cord

Bell lamp in white has a white cord and white canopy. Bell lamp in black has a black cord and black canopy. Bell lamp in grey has a black cord and grey canopy. Bell lamp in sand has a brown cord and sand canopy. All Bell lamps come with a 4 m textile cord.

Canopy

Included, black, white, sand or grey color,
H: 7,7 x Ø: 9 cm, 0,04 kg

Maintenance

Clean with damp cloth.

normann

C O P E N H A G E N

Bell lamp

Dimmable function

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

Voltage

120 V

Frequency

60 W

Ip rating

IP20

Classification

Class I

Socket

Bell lamp x-small: G9

Bell lamp small, Bell lamp medium,

Bell lamp large: E26

Max load

60 W

Light source - recommended

Bell lamp x-small:

G9 US

Power: 8W

CCT: 2 700 K

Output: 800 lm Life Span: 15 000 h CRI: ~ 80

Bell lamp small, Bell lamp medium, Bell lamp large:

Art. No.: 504062, LED E26 US,

not dimmable Power: 8W

CCT: 2 700 K

Output: 800 lm

Life Span: 15 000 h


CRI: ~ 80



normann

C O P E N H A G E N

Material options




White



Grey



Black



Sand



normann

C O P E N H A G E N

Bell lamp



Bell lamp small black



normann
C O P E N H A G E N

Contact

Normann Copenhagen

Østerbrogade 70, 2100 Copenhagen, Denmark

normann@normann-copenhagen.com

+45 35 55 44 59

normann

C O P E N H A G E N