

TIVOLI
.....

Emperor Lamp


US Version



Asian architecture – and more specifically the two towers of the pantomime theater inside the Tivoli Gardens – served as the source of inspiration for the Emperor lamps.

Emperor Lamp

Ø 19 cm – US Version



DESIGN
Normann Copenhagen

MATERIAL
Brass-Plated Steel

CONSTRUCTION
The Emperor pendant comes in two different shapes. Both are connected to the cable with a brass tube with ball.

SIZE & WEIGHT
H 31 x Ø 19 cm / 0,5 kg

MAINTENANCE
Clean with damp cloth.

CORD & CANOPY
4 m textile cord, canopy black color H 7,7 x Ø 9 cm / 0,04 kg.

DIMMABLE FUNCTION
Yes – with dimmable light source. Ensure your dimmer is suitable for LED.

VOLTAGE
120 V

MAX LOAD
40 W



FREQUENCY
60 Hz

IP RATING
IP20

CLASSIFICATION
Class I

SOCKET
E12

LIGHT SOURCE – RECOMMENDED
Art. No.: 504061, LED E12 US
not dimmable
Power: 2 W
CCT: 2 700 K
Output: 160 lm
Life Span: 15 000 h
CRI: ~ 80




COLOR



Brass

Emperor Lamp

Ø 20 cm – US Version



DESIGN
Normann Copenhagen

MATERIAL
Brass-Plated Steel

CONSTRUCTION
The Emperor pendant comes in two different shapes. Both are connected to the cable with a brass tube with ball.

SIZE & WEIGHT
H 32,5 x Ø 20 cm / 0,6 kg

MAINTENANCE
Clean with damp cloth.

CORD & CANOPY
4 m textile cord, canopy black color H 7,7 x Ø 9 cm / 0,04 kg.

DIMMABLE FUNCTION
Yes – with dimmable light source. Ensure your dimmer is suitable for LED.

VOLTAGE
120 V

MAX LOAD
40 W



FREQUENCY
60 Hz

IP RATING
IP20

CLASSIFICATION
Class I

SOCKET
E12

LIGHT SOURCE – RECOMMENDED
Art. No.: 504061, LED E12 US
not dimmable
Power: 2 W
CCT: 2 700 K
Output: 160 lm
Life Span: 15 000 h
CRI: ~ 80



COLOR



Brass