Plate Lamp

EU Version

Plate is a stylish wall and table lamp made of pressed steel that comes with a golden or black finish. The corrugated steel plates create beautiful reflections of the bulb's light, adding atmosphere to any décor. Tivoli Gardens' exceptional use of patterns and lights inspired the grooved reflections, while the shape is based on round hot air balloons.

Plate Wall Lamp

EU Version

COLOR

Gold

Black

DESIGN
Normann Copenhagen

MATERIAL
Brass-Plated Steel

CONSTRUCTION
The Plate lamps are pressed and bent steel constructions forming a base and a back plate. A simple cylinder shape is holding the fitting for the bulb in the center. The table lamp has an extra base for stable standing.

SIZE & WEIGHT
H 22 x W 20 x D 14,5 cm / 0,55 kg

MAINTENANCE
Clean with damp cloth.

CORD
2 m textile cord with switch, black color.

DIMMABLE FUNCTION
No.

VOLTAGE
220-240 V

MAX LOAD
40 W

FREQUENCY
50/60 Hz

IP RATING
IP20

CLASSIFICATION
Class II

SOCKET
E27

LIGHT SOURCE - RECOMMENDED
Tivoli Bulb, Art. No.: 5005001, LED E27 EU, GOLD.
Tivoli Bulb, Art. No.: 5005002, LED E27 EU, SILVER.
Power: 8 W
CCT: 2 700 K
Output: 800 lm
Life Span: 15 000 h
CRI: ~80

GENERAL STANDARD & CERTIFICATES
EN 60598-2-1:1989
EN 60598-1: 2015

CE IP20

Plate Table Lamp

EU Version

COLOR

Gold

Black

DESIGN
Normann Copenhagen

MATERIAL
Brass-Plated Steel

CONSTRUCTION
The Plate lamps are pressed and bent steel constructions forming a base and a back plate. A simple cylinder shape is holding the fitting for the bulb in the center. The table lamp has an extra base for stable standing.

SIZE & WEIGHT
H 22 x W 20 x D 14,5 cm / 0,55 kg

MAINTENANCE
Clean with damp cloth.

CORD
2 m textile cord with switch, black color.

DIMMABLE FUNCTION
No.

VOLTAGE
220-240 V

MAX LOAD
40 W

FREQUENCY
50/60 Hz

IP RATING
IP20

CLASSIFICATION
Class II

SOCKET
E27

LIGHT SOURCE - RECOMMENDED
Tivoli Bulb, Art. No.: 5005001, LED E27 EU, GOLD.
Tivoli Bulb, Art. No.: 5005002, LED E27 EU, SILVER.
Power: 8 W
CCT: 2 700 K
Output: 800 lm
Life Span: 15 000 h
CRI: ~80

GENERAL STANDARD & CERTIFICATES
EN 60598-2-4:1997
EN 60598-1: 2015

CE IP20